


# VERDERAIR VA 25 non-metallic



Type VA 25



## Technical details

Technical details		
Weight [kg]	Acetal	10
	PP	8.6
	Kynar	11.3
Suction lift [mwc]	Dry	2.5
	Wet	5.5
Temperature [°C]	Acetal	5-65
	PP	5-65
	Kynar	5-65*
* 93 °C with Teflon diaphragms		
Max. particle size [mm]		3.2

Non wetted material	
Centre section	Epoxy coated Aluminum

Article codes	
VA 25 . [no.2] . [no.3] . [no.4] . [no.5]	
[no.2] material of casing	
	AC = Acetal
	PP = Polypropylene
	KY = Kynar

[no.3] material of seat	
	AC = Acetal
	PP = Polypropylene
	HY = Hytrel
	KY = Kynar
	SS = Stainless Steel
	SP = Santoprene
	VT = Viton
	HS = Hardened Steel
[no.4] material of valve	
	AC = Acetal
	TF = Teflon
	HS = Hardened Steel
	HY = Hytrel
	SP = Santoprene
	BN = Buna N
	VT = Viton
	GE = Geolast
	SS = Stainless Steel
[no.5] material of diaphragm	
	TF = Teflon
	SP = Santoprene
	HY = Hytrel
	BN = Buna N
	VT = Viton
	GE = Geolast

## Dimensions

